

SIMPLY



*Reliable
stability for
your
PV plants*




SIMPLY

A reliable snap-in system, suitable for all roof types

The new mounting system SIMPLY combines **flexibility and practicality** and makes mounting **operations on roofs easier and quicker**. With this new system, VP Solar offers clamps that easily fasten into the special SIMPLY profiles through tailored made clips. SIMPLY sets new standards in terms of reliability as the **profiles provide excellent stability despite their low weight**.

ROOF FASTENING: SUITABLE FOR ALL ROOF TYPES

SIMPLY is a universal system and can be combined with all roof-fastening elements of VP Solar catalogue, using M10 nuts and bolts.



PROFILES: QUICK AND BOLT-FREE CONNECTIONS

For the connection of two profiles, we have developed the **SIMPLY joint for profiles**. This element ensures maximum stability because small “teeth” on the joint prevent profiles’ detachment.

The connector allows continuous rows of up to 15 m.


CROSS-RAIL SYSTEM

Elements for cross-rail system are offered in pre-assembled sets. A set consists of cross connectors, Allen bolts with square nuts and the innovative SIMPLY clip, which snaps directly into the profile. Place the cross beam profile, insert the clips into the lower profile and lock the fins of the upper profile with those of the cross-rail elements. Once the screws are tightened, the cross-rail system is ready.



MODULE FASTENING: SIMPLE, THANKS TO PRE-ASSEMBLED SETS

SIMPLY terminal and intermediate clamps are offered in pre-assembled set composed by clamp, Allen bolt with square nut and the newly developed SIMPLY clip. Insert the pre-assembled clamp SIMPLY in the profile and tighten the screws: thanks to the clip the clamp cannot get out of the groove.



Flexible

SIMPLY is suitable for any type of roof

Light

Reduced weight thanks to the optimized cross-section.

Easy and quick

Thanks to the clip, clamps and cross-rails elements are securely fastened into profiles.

High load capacity


Despite the low weight, stability and load resistance are guaranteed.

Module fastening

Joint for profiles

Profiles

Roof fastening



VP SOLAR MOUNTING SYSTEMS

- SUITABLE FOR ANY ROOF
- PLANNING OF TAILORED-MADE SOLUTIONS
- LIFELONG QUALITY BY USING DURABLE MATERIALS
- PRODUCTION OF ALL COMPONENTS ACCORDING TO INTERNATIONAL STANDARDS
- REGULAR QUALITY AUDIT
- FOR ALL MODULES TYPES

QUICK GUIDE**Overview of all SIMPLY components.**

ARTICLE NUMBER	DESCRIPTION
ZSMAP032	Simply aluminium profile- 3,2 m
ZSMAP052	Simply aluminium profile- 5,2 m
ZSMAG000	Simply joint for aluminium profile
ZSMAACPG	Simply plastic end cap
ZSMAACC0	Simply clip for cable fixing
ZSMAIG01	Simply intermediate clamp 31-41 mm aluminium
ZSMAIG02	Simply intermediate clamp 42-50 mm aluminium
ZSMAIN01	Simply intermediate clamp 31-41 mm black anodized aluminium
ZSMAIN02	Simply intermediate clamp 42-50 mm black anodized aluminium
da ZSMATG31 a ZSMATG50	Simply terminal clamp aluminium h. from 31 mm to 50 mm
da ZSMATN32 a ZSMATN50	Simply terminal clamp black anodized aluminium h. from 32 mm to 50 mm
ZSMAMA00	Simply clamp for Avancis Power Max and Power Max Strong modules, stainless steel

Mounting systems are the basis of every solar power system. Choose high quality products that can withstand the rigors of atmospheric wind, rain and snow is extremely important to provide strong support to the PV modules.

www.vpsolar.com
Tel. +39 0423 632710
Fax +39 0423 632709
commerciale@vpsolar.com